

CLAUDE W. SPIRON

Certified Public Accountant

821 Shadebrush Ridge, West Chester, Pennsylvania 19382 ♦ 610.733.7459 ♦ Fax 610.429.4649

System Review Report

June 9, 2015

To the Owners of
Giordano & Associates CPAs, P.C.
and the Peer Review Committee of the Pennsylvania Institute of CPAs

I have reviewed the system of quality control for the accounting and auditing practice of Giordano & Associates CPAs, P.C. (the firm) in effect for the year ended December 31, 2014. My peer review was conducted in accordance with the Standards for Performing and Reporting on Peer Reviews established by the Peer Review Board of the American Institute of Certified Public Accountants. As a part of my peer review, I considered reviews by regulatory entities, if applicable, in determining the nature and extent of my procedures. The firm is responsible for designing a system of quality control and complying with it to provide the firm with reasonable assurance of performing and reporting in conformity with applicable professional standards in all material respects. My responsibility is to express an opinion on the design of the system of quality control and the firm's compliance therewith based on my review. The nature, objectives, scope, limitations of, and the procedures performed in a System Review are described in the standards at www.aicpa.org/prsummary.

In my opinion, the system of quality control for the accounting and auditing practice of Giordano & Associates CPAs, P.C. in effect for the year ended December 31, 2014, has been suitably designed and complied with to provide the firm with reasonable assurance of performing and reporting in conformity with applicable professional standards in all material respects. Firms can receive a rating of *pass*, *pass with deficiency(ies)* or *fail*. Giordano & Associates CPAs, P.C. has received a peer review rating of *pass*.



Claude W. Spiron, CPA